Menutree Website:

+ Products / docu / downloads
  + Hardware
    + Analysis technic
      + OSM-HMG

**QR-Code Website:**

Please make sure to update your drivers before using our products.

| Saving of phone cost through call-back |
| --- |

You need a communication over the phone with your operation of facilities, but do not want to pay the phone bills? No problem, with the TELE-router you are able to work even with recall. This means that you first call the device and tell him that you want a call back. If the credentials are correct and the recall is permitted, the TELE-router connection is terminated and then it calls back the transferred number. Your customer shall bear the cost of the connection.

You have to work with more PLC-devices, but no pleasure to switch on/off? No problem, you connect a device of the AG-Switch-family to the PLC-devices and your PD/PC and you will be able to communicate to both PLCs. The selection which PLC you make for AG-Switch-I via toggle switch and for the AG-Switch-II via 24V-controll input.

Data backup S7-PLC PN-port on SD-card

S7-PLC triggered DB-backup/-restore without additional PC via PN-port on SD card

Detect intrusions and anomalies on your ProfiNet.
Early detection of malfunction and failures and malfunctions.
Easy installation, plug and play double socket.

Analyzing of write-/read-accesses to the PLC

Panel of S7 SPS, no backup of the project or the projecting-data itself?
 Put the MPI/DP-bus-communication-analyzer on the bus of the respective control, set the bus-address of the control via the web-interface and start the recording. After stop visible list in the web-interface of all read or written data-areas I/O/F/T/C/DW of the control.
 Filter functions for source-address as well as source- and target-SAP.

Send directly from your PLC news, statuses, alarms as SMS or email.

Send Email with LOGO!

Send of all kinds of eMail-messages controlled by the LOGO!-Control