Menutree Website: **QR-Code Website:**

+ Products / docu / downloads
  + Hardware
    + Analysis technic
      + Oxygen - Service - Controller II

Please make sure to update your drivers before using our products.

Project/history-administration of PLC-programming

Who doesn't know this? When accessing the PLC you find out that parts of the program flow has been changed and none of the colleagues/employees are responsible for it? Therefore install the "option controller" for the PG-2000-software, and every activity of the employees working with the program will be recorded. So you can identify the one employee very quickly and changes are ex post comprehensible, too.

Remote-maintenance of a Siemens-controller with network-connection via secure VPN-tunnel and scalable firewall

S5-PLC over LAN

Communication with S5-PLC via Ethernet, just how and with what?
 Data-communication with S5-PLC from PC or other devices via network, which interface is required. Questions you don't have to worry about. With "S5 over LAN" you get the right interface-products for your interface of the PLC.
 Which one you use then is up to you.

Remote access to all your systems, PLCs without great effort. Even triggering of actions by setting the integrated digital-outputs or reading in the digital and analog-inputs is possible via the Internet connection.
 Regardless of whether you use your PC with the CONNECT-software or have connected a device from the CONNECT-family. Couplings via LTE also enable access to the LAN-interface on the system side. No special SIM-card is required for this.
 A solution with little effort and everything within your "private" cloud.

Atomic time at the PLC

For your production flow you're always in need of an exact time? No problem, connect the SPS-Clock with 4 digital in-/outputs of your PLC, after synchronisation of the SPS-Clock the updating time can be read in a DB of the PLC.

Exact analysis of your Profinet members.
Addresses, configurations and other data can be recorded directly.
See immediately possible conflicts due to the configuration.

Data backup S7-PLC over MPI/Profibus on USB-stick via dig. IO

Via digital input triggered DB-backup/-restore without additional PC via MPI/Profibus to USB-stick